



**THE NETHERLANDS
(N E D E R L A N D)**



COMMUNICATION

Concerning ⁽¹⁾:

- ~~approval granted~~
- approval extended
- ~~approval refused~~
- ~~approval withdrawn~~
- ~~production definitely discontinued~~

of a type of pneumatic tyre for motor vehicles pursuant to Regulation number 54.

Approval number: E4-54R-0018094


Extension number: 12

- | | | |
|----|--|---|
| 1. | Manufacturer's name or trade mark(s) on the tyre type | UNIUNE;ORIGINAL;ROCKSTONE;ANTYRE;OTANI;
: FULLRUN;ROADSUN;ZEETEX;FULLWAY;CLEAR;
TURNPIKE;AUFINE;ORNET;TEXXAN;XCEED;
TRANSTONE;KINGRUN;CROWN;ODYKING;
RICHTOUR;SHIMO;RoTaLLa;TRACMAX;DOUPRO;
SUPERCROWN;TRANSKING;HOMERUN;GM ROVER;
FIMAT;CAMRUN;WAYNNER;Drivemaster;LANDER;
LUCKY;SPORTBULL; <u>TUNEFUL;FREERUN</u> |
| 2. | Tyre type designation by the manufacturer | ST939;ST907;OH-906;OL-703;HT-06;LZ-04;TB988;TB977;
: TB862;TB860;S550;TB717;TB719;TB715;D770;TB866;
RS139;OR406;TX406;XD406;CL117;RT108;YST829;
RTL829;GRT829;YS829;QT829;TG839;GM939;FT618;
FT638;CR901;AF09;AF78A;AF67;AF55;WIN82;WIN68;
WIN67;WIN93;RTL939;GRT939;YS836;RTL836;GRT836;
ST901;RTL901;GRT901;LS397;S155;S156;S157;VT32;
VT63;VT68; <u>TF910;CR950</u> |
| 3. | Manufacturer's name and address | : Qingdao Kebek Tire Co., Limited
Dawang Town,
Dongying, Shandong 257335
P.R.China |
| 4. | If applicable, name and address of the manufacturer's representative | : Not applicable |
| 5. | Summarized description: | |



- 5.1. Size of tyre : 12R22.5
- 5.2. Category of use : normal/snow/special⁽⁴⁾
- 5.3. Structure : ~~diagonal (bias ply)~~/radial⁽¹⁾
- 5.4. Tyre class : ~~E2~~/C3⁽¹⁾
- 5.5. Speed category symbol:
- 5.5.1. nominal : M
- 5.5.2. additional (if applicable) : Not applicable
- 5.6. Load-capacity indices:
- 5.6.1. Corresponding to nominal speed:
- single : 152
 - twinned (dual) : 148
- 5.6.2. Corresponding to additional speed:
- single : ---
 - twinned (dual) : ---
6. Technical service and, where applicable, test laboratory approved for purposes of approval or of verification of conformity : TÜV NORD Mobilität GmbH & Co.KG
Institut für Fahrzeugtechnik und Mobilität
: Adlerstrasse 7, D-45307 Essen
7. Date of report issued by that service : Nov. 24, 2015
8. Number of report issued by that service : CT054-B0-150046



9. Reason(s) for extension (if applicable) : Add new trade mark:
 Former:
 UNIUNE;ORIGINAL;ROCKSTONE;ANTYRE;OTANI;
 FULLRUN;ROADSUN;ZEETEX;FULLWAY;CLEAR;
 TURNPIKE;AUFINE;ORNET;TEXXAN;XCEED;
 TRANSTONE;KINGRUN;CROWN;ODYKING;
 RICHTOUR;SHIMO;RoTaLLa;TRACMAX;DOUPRO;
 SUPERCROWN;TRANSKING;HOMERUN;GM ROVER;
 FIMAT;CAMRUN;WAYNNER; Drivemaster;LANDER;
 LUCKY;SPORTBULL
 Now:
 UNIUNE;ORIGINAL;ROCKSTONE;ANTYRE;OTANI;
 FULLRUN;ROADSUN;ZEETEX;FULLWAY;CLEAR;
 TURNPIKE;AUFINE;ORNET;TEXXAN;XCEED;
 TRANSTONE;KINGRUN;CROWN;ODYKING;
 RICHTOUR;SHIMO;RoTaLLa;TRACMAX;DOUPRO;
 SUPERCROWN;TRANSKING;HOMERUN;GM ROVER;
 FIMAT;CAMRUN;WAYNNER;Drivemaster;LANDER;
 LUCKY;SPORTBULL; TUNEFUL;FREERUN
 Add new type designation:
 Former:
 ST939;ST907;OH-906;OL-703;HT-06;LZ-04;TB988;TB977;
 TB862;TB860;S550;TB717;TB719;TB715;D770;TB866;
 RS139;OR406;TX406;XD406;CL117;RT108;YST829;
 RTL829;GRT829;YS829;QT829;TG839;GM939;FT618;
 FT638;CR901;AF09;AF78A;AF67;AF55;WIN82;WIN68;
 WIN67;WIN93;RTL939;GRT939;YS836;RTL836;GRT836;
 ST901;RTL901;GRT901;LS397;S155;S156;S157;VT32;
 VT63;VT68
 Now:
 ST939;ST907;OH-906;OL-703;HT-06;LZ-04;TB988;TB977;
 TB862;TB860;S550;TB717;TB719;TB715;D770;TB866;
 RS139;OR406;TX406;XD406;CL117;RT108;YST829;
 RTL829;GRT829;YS829;QT829;TG839;GM939;FT618;
 FT638;CR901;AF09;AF78A;AF67;AF55;WIN82;WIN68;
 WIN67;WIN93;RTL939;GRT939;YS836;RTL836;GRT836;
 ST901;RTL901;GRT901;LS397;S155;S156;S157;VT32;
 VT63;VT68; TF910;CR950
10. Any remarks
11. Place : Zoetermeer
12. Date : 08-DEC-2015
13. Signature : 
 R.F.R. Clement
14. Annexed to this communication is a list of documents in the approval file deposited at the administrative service having delivered the approval and which can be obtained upon request.
 – Application form relating to ECE approval for a pneumatic tyre pursuant to Regulation number 54.
 – The drawing of the tyre's sidewalls, tread and dimensioned cross-section.
 – The test report as mentioned in item 8.

⁽¹⁾ Strike out what does not apply.

**APPLICATION FOR APPROVAL EXTENSION OF A TYPE OF PNEUMATIC TYRE ACCORDING TO ECE
REGULATION No. 54, 00 SERIES OF AMENDMENTS**

Add new tread pattern and new trade mark

- | | | | |
|--------|--|---|---|
| 1. | Manufacturer's name or trade mark | : | UNIUNE; ORIGINAL; ROCKSTONE; ANTYRE; OTANI; FULLRUN; ROADSUN; ZEETEX; FULLWAY; CLEAR; TURNPIKE; AUFINE; ORNET; TEXXAN; XCEED; TRANSTONE; KINGRUN; CROWN; ODYKING; RICHTOUR; SHIMO; RoTaLLa; TRACMAX; DOUPRO; SUPERCROWN; TRANSKING; HOMERUN; GM ROVER; FIMAT; CAMRUN; WAYNNER; Drivemaster; LANDER; LUCKY; SPORTBULL; <u>TUNEFUL</u> ; <u>FREERUN</u> |
| 2. | Tyre type designation by the manufacturer | : | ST939; ST907; OH-906; OL-703; HT-06; LZ-04; TB988; TB977; TB862; TB860; S550; TB717; TB719; TB715; D770; TB866; RS139; OR406; TX406; XD406; CLI117; RT108; YST829; RTL829; GRT829; YS829; QT829; TG839; GM939; FT618; FT638; CR901; AF09; AF78A; AF67; AF55; WIN82; WIN68; WIN67; WIN93; RTL939; GRT939; YS836; RTL836; GRT836; ST901; RTL901; GRT901; LS397; S155; S156; S157; VT32; VT63; VT68; <u>TF910</u> ; <u>CR950</u> |
| 3. | Manufacturer's name and address | : | Qingdao Kebek Tire Co., Limited
Dawang Town,
Dongying, Shandong 257335
P.R. China |
| 4. | If applicable, name and address of manufacturer's representative | : | not applicable |
| 5. | Summarised description, | | |
| 5.1. | Tyre size designation | : | 12R22.5 |
| 5.2. | Category of use | : | normal/special/snow |
| 5.3. | Structure | : | diagonal (bias ply) /radial |
| 5.4. | Tyre class | : | C1/ C2 /C3 |
| 5.5. | Speed category symbol, | | |
| 5.5.1. | nominal | : | M |
| 5.5.2. | additional (if applicable) | : | not applicable |
| 5.6. | Load-capacity indices, | | |
| 5.6.1. | corresponding to nominal speed | : | single: 152, twinned (dual): 148 |
| 5.6.2. | corresponding to additional speed | : | single: ---, twinned (dual): --- |
| 6. | Overall dimensions | : | ETRTO/calculated /Annex 5 |
| | overall section width | : | 300 |
| | outer diameter | : | 1084 |
| 7. | Factor 'x' | : | 0.79 |
| 8. | Ply-rating number for diagonal (bias ply) tyres | : | 16 |
| 9. | Rims on which the tyre can be mounted | : | 9.00 |
| 10. | Measuring rim and test rim | : | see attached test report |
| 11. | State whether the tyre is | : | tubeless / tube type |
| 12. | Inflation pressure and index for measuring and testing | : | see attached test report |
| 13. | Submitted for approval on (date) | : | November 20, 2015 |

We herewith declare that we have not applied and will not apply for approval with another Contracting Party of the ECE for the same type of product.

MANUFACTURER'S STAMP



Signature :



.....Wang Hongbo.....

Name: Wang Hongbo




THIS APPLICATION IS ACCOMPANIED BY:

- A drawing of the tyre's side wall, tread and dimensioned cross section.
- The test report.



LOWER MOLD



UPPER MOLD


TREAD PATTERNS
REFER TO ATTACHMENT NO.1

15	(E) XXXXXXX (ECE APPROVAL MARK & APPROVAL No.)	
14		CCC F000236
13	152/148 M	152/148 M
12	REGROOVABLE	REGROOVABLE
11	12R22.5	12R22.5
10	LR.H (16PR.)	LR.H (16PR.)
9	DOT 70 10 XXXX (XXXX---DATE CODE)	DOT 70 10
8	XXXXXX (XXXXXX---MOULD CODE)	XXXXXX (XXXXXX---MOULD CODE)
7	ALL STEEL RADIAL TUBELESS	ALL STEEL RADIAL TUBELESS
6	<small>CANADA U.S.A. CODES ONLY</small> PLIES: SIDEWALL 1 STEEL TREAD: 1 STEEL 3 STEEL MAX.LOAD: SINGLE 3550Kg(7825LBS.) AT 850KPa(125P.S.I) COLD DUAL 3750Kg(6945LBS.) AT 85 KPa(125 P.S.I) COLD	<small>CANADA U.S.A. CODES ONLY</small> PLIES: SIDEWALL 1 STEEL TREAD: 1 STEEL 3 STEEL MAX.LOAD: SINGLE 3550Kg(7825LBS.) AT 850KPa(125P.S.I) COLD DUAL 3750Kg(6945LBS.) AT 850KPa(125P.S.I) COLD
5	REFER TO ATTACHMENT NO.1	REFER TO ATTACHMENT NO.1
4	RIM 9.00	RIM 9.00
3	MADE IN CHINA	MADE IN CHINA
2	SAFETY WARNING	SAFETY WARNING
1	REFER TO ATTACHMENT NO.1	REFER TO ATTACHMENT NO.1
	LOWER MOLD	UPPER MOLD



12R22.5	152/148	M	T/L	1084	300	228.6	14.5	S_T-067-1/2-10	2015-11-20
TIRE SIZE	LOAD INDEX	SPEED SYMBOL	TYPE	A(mm)	B(mm)	C(mm)	SKID DEPTH(mm)	DWG.NO	DATE
APPROVED BY	He Jingwu		CHECKED BY	Sun Dan		DRAWN BY	Hu Shujuan		QINGDAO KEBEK TIRE CO., LIMITED

ATTACHMENT 1



	BRAND NAME		TREAD PATTERN NAME
	LOWER MOLD	UPPER MOLD	
1	TUNEFUL	TUNEFUL	TF910
2	FREERUN	FREERUN	CR950
3			
4			
5			
6			
7			
8			
9			
10			
11			
12			
13			
14			
15			
16			
17			
18			



12R22.5	152/148	M	T/L	1084	300	228.6	14.5	S_T-067-2/2-10	2015-11-20
TIRE SIZE	LOAD INDEX	SPEED SYMBOL	TYPE	A(mm)	B(mm)	C(mm)	SKID DEPTH(mm)	DWG.NO	DATE
APPROVED BY	<i>Hejingwa</i>		CHECKED BY	<i>Sun Dan</i>		DRAWN BY	<i>Hu Shuyuan</i> QINGDAO KEBEK TIRE CO.,LIMITED		

Test Report

No.: **CT054-B0-150046**
Regulation No: **54**
Page: **1 / 5**
Customer: **Qingdao Kebek Tire Co., Limited.**
Tyresize / -type: **12R22.5/ST939;ST907;OH-906;OL-703;HT-06;LZ-04;TB988;TB977;TB862;TB860;S550;TB717;TB719;**



TB715;D770;TB866;RS139;OR406;TX406;XD406;CL117;RT108;YST829;RTL829;GRT829;YS829;QT829;
TG839;GM939;FT618;FT638;CR901;AF09;AF78A;AF67;AF55;WIN82;WIN68;WIN67;WIN93;RTL939;GRT939;
YS836;RTL836;GRT836;ST901;RTL901;GRT901;LS397;S155;S156;S157;VT32;VT63;VT68;TF910;CR950

Test Report

AGREEMENT CONCERNING THE ADOPTION OF UNIFORM TECHNICAL PRESCRIPTIONS FOR WHEELED VEHICLES, EQUIPMENT AND PARTS WHICH CAN BE FITTED AND/OR BE USED ON WHEELED VEHICLES AND THE CONDITIONS FOR RECIPROCAL RECOGNITION OF APPROVALS GRANTED ON THE BASIS OF THESE PRESCRIPTIONS

Uniform provisions concerning the approval of pneumatic tyres for commercial vehicles and their trailers

ECE-R 54

*as last amended
not applicable*

<i>Approval status</i>	
	<i>Number of approval</i>
ECE	0018094-12



Test Report

No.: CT054-B0-150046
Regulation No: 54
Page: 2 / 5
Customer: Qingdao Kebek Tire Co., Limited
Tyresize / -type: 12R22.5/ST939;ST907;OH-906;OL-703;HT-06;LZ-04;TB988;TB977;TB862;TB860;S550;TB717;TB719;

TB715;D770;TB866;RS139;OR406;TX406;XD406;CL117;RT108;YST829;RTL829;GRT829;YS829;QT829;
TG839;GM939;FT618;FT638;CR901;AF09;AF78A;AF67;AF55;WIN82;WIN68;WIN67;WIN93;RTL939;GRT939;
YS836;RTL836;GRT836;ST901;RTL901;GRT901;LS397;S155;S156;S157;VT32;VT63;VT68;TF910;CR950



Test Report (ECE-R 54)

Operator:	Wang Xin	Date:	24/11/2015
Customer:	Qingdao Kebek Tire Co., Limited	Sample-number:	/

1 Markings

- 1.1 Trade mark: UNIUNE;ORIGINAL;ROCKSTONE;ANTYRE;OTANI;FULLRUN;ROADSUN;ZEETEX;FULLWAY;CLEAR;TURNPIKE;AUFINE;ORNET;TEXXAN;XCEED;TRANSTONE;KINGRUN;CROWN;ODYKING;RICHTOUR;SHIMO;RoTaLLa;TRACMAX;DOUPRO;SUPERCROWN;TRANSKING;HOMERUN;GM ROVER;FIMAT;CAMRUN;WAYNNER;Drivemaster;LANDER;LUCKY;SPORTBULL;TUNEFUL;FREERUN
- 1.2 Trade pattern: ST939;ST907;OH-906;OL-703;HT-06;LZ-04;TB988;TB977;TB862; TB860;S550;TB717;TB719;TB715;D770;TB866;RS139;OR406;TX406;XD406;CL117;RT108;YST829;RTL829;GRT829;YS829;QT829;TG839;GM939;FT618;FT638;CR901;AF09;AF78A;AF67;AF55;WIN82;WIN68;WIN67;WIN93;RTL939;GRT939;YS836;RTL836;GRT836;ST901;RTL901;GRT901;LS397;S155;S156;S157;VT32;VT63;VT68;TF910;CR950
- 1.3 Size designation: 12R22.5
- 1.4 Category of use: NORMAL
- 1.5 Structure: RADIAL
- 1.6 Speed category: Normal: M
Supplementary: Not applicable
- 1.7 Load- capacity indices: single: 152 3550(kg)
twinned: 148 3150(kg)
corresponding to supplementary speed: single: / /(kg)
twinned: / /(kg)
- 1.8 Indication: Tube type
- 1.9 Remarks: Tyre class:C3

2 Measurement (according to Annex 6):

As submitted by TÜV NORD Mobilität GmbH & Co. KG

Number of report issued by that service: CT054-B0-140106

3 LOAD/SPEED PERFORMANCE TEST according to ANNEX 7/

As submitted by TÜV NORD Mobilität GmbH & Co. KG

Number of report issued by that service: CT054-B0-140106

4. General information



Test Report

No.: **CT054-B0-150046**
Regulation No: **54**
Page: **3 / 5**
Customer: **Qingdao Kebek Tire Co., Limited.**
Tyresize / -type: **12R22.5/ST939;ST907;OH-906;OL-703;HT-06;LZ-04;TB988;TB977;TB862;TB860;S550;TB717;TB719;**

**TB715;D770;TB866;RS139;OR406;TX406;XD406;CL117;RT108;YST829;RTL829;GRT829;YS829;QT829;
TG839;GM939;FT618;FT638;CR901;AF09;AF78A;AF67;AF55;WIN82;WIN68;WIN67;WIN93;RTL939;GRT939;
YS836;RTL836;GRT836;ST901;RTL901;GRT901;LS397;S155;S156;S157;VT32;VT63;VT68;TF910;CR950**



- 4.1 Manufacturer's name and address: Qingdao Kebek Tire Co., Limited
TÜV NORD Mobilität GmbH & Co. KG -
Institut für Fahrzeugtechnik und Mobilität,
Adlerstr. 7, 45307 Essen
- 4.2 Technical service and, where applicable, test laboratory approved for purposes of approval or of verification of conformity: Not applicable
- 4.3 Test object received
- 4.4 Place of testing: Dawang Town, Dongying, Shandong
257335 P.R.China
Jul 30, 2014
- 4.5 Test date:

The tyre which, after undergoing the load/speed endurance test, does not exhibit any tread separation, ply separation, cord separation, chunking or broken cords.

Conclusions: The tested samples fulfill the technical prescriptions with regards to the ECE Regulation No. 54.



Test Report

No.: **CT054-B0-150046**
Regulation No: **54**
Page: **4 / 5**
Customer: **Qingdao Kebek Tire Co., Limited**
Tyresize / -type: **12R22.5/ST939;ST907;OH-906;OL-703;HT-06;LZ-04;TB988;TB977;TB862;TB860;S550;TB717;TB719;**

TB715;D770;TB866;RS139;OR406;TX406;XD406;CL117;RT108;YST829;RTL829;GRT829;YS829;QT829;
TG839;GM939;FT618;FT638;CR901;AF09;AF78A;AF67;AF55;WIN82;WIN68;WIN67;WIN93;RTL939;GRT939;
YS836;RTL836;GRT836;ST901;RTL901;GRT901;LS397;S155;S156;S157;VT32;VT63;VT68;TF910;CR950



Statement of conformity

The type described in this test report and the appendices attached are in compliance with the Test Specification mentioned above.



The Test Report comprises pages 1 to 4.

The Test Report shall be reproduced and published in full only and by the client only. It shall be reproduced partially with the written permission of the Test Laboratory only.

TEST LABORATORY

TÜV NORD Mobilität GmbH & Co. KG
IFM - Institut für Fahrzeugtechnik und Mobilität,
Adlerstr. 7, 45307 Essen
Designated Technical Service
RDW No. RDWT-T04

Tianjin, China
2015/11/24

 Wang Xin Assessor, Automotive Homologation TUV NORD Certification (Tianjin)	 TUV NORD Certification (Tianjin)
--	--



Test Report

No.: **CT054-B0-150046**
Regulation No: **54**
Page: **5 / 5**
Customer: **Qingdao Kebek Tire Co., Limited**
Tyresize / -type: **12R22.5/ST939;ST907;OH-906;OL-703;HT-06;LZ-04;TB988;TB977;TB862;TB860;S550;TB717;TB719;**

TB715;D770;TB866;RS139;OR406;TX406;XD406;CL117;RT108;YST829;RTL829;GRT829;YS829;QT829;TG839;GM939;FT618;FT638;CR901;AF09;AF78A;AF67;AF55;WIN82;WIN68;WIN67;WIN93;RTL939;GRT939;YS836;RTL836;GRT836;ST901;RTL901;GRT901;LS397;S155;S156;S157;VT32;VT63;VT68;TF910;CR950



List of modifications

Appendix 1

More details for application of : Date :

Correction of : -

Modification of : -

Addition of : -

Deletion of : -

Reason(s) for extension (if applicable) : **Add new trade mark:**
Former:
UNIUNE;ORIGINAL;ROCKSTONE;ANTYRE;OTANI;FULLRUN;ROADSUN;ZEETEX;FULLWAY;CLEAR;TURNPIKE;AUFINE;ORNET;TEXXAN;XCEED;TRANSTONE;KINGRUN;CROWN;ODYKING;RICHTOUR;SHIMO;RoTaLLa;TRACMAX;DOUPRO;SUPERCROWN;TRANSKING;HOMERUN;GM ROVER;FIMAT;CAMRUN;WAYNNER;Drivemaster;LANDER;LUCKY; SPORTBULL
Now:
UNIUNE;ORIGINAL;ROCKSTONE;ANTYRE;OTANI;FULLRUN;ROADSUN;ZEETEX;FULLWAY;CLEAR;TURNPIKE;AUFINE;ORNET;TEXXAN;XCEED;TRANSTONE;KINGRUN;CROWN;ODYKING;RICHTOUR;SHIMO;RoTaLLa;TRACMAX;DOUPRO;SUPERCROWN;TRANSKING;HOMERUN;GM ROVER;FIMAT;CAMRUN;WAYNNER;Drivemaster;LANDER;LUCKY;SPORTBULL;TUNEFUL;FREERUN
Add new trade pattern:
Former: ST939;ST907;OH-906;OL-703;HT-06;LZ-04;TB988;TB977;TB862;TB860;S550;TB717;TB719;TB715;D770;TB866;RS139;OR406;TX406;XD406;CL117;RT108;YST829;RTL829;GRT829;YS829;QT829;TG839;GM939;FT618;FT638;CR901;AF09;AF78A;AF67;AF55;WIN82;WIN68;WIN67;WIN93;RTL939;GRT939;YS836;RTL836;GRT836;ST901;RTL901;GRT901;LS397;S155;S156;S157;VT32;VT63;VT68
Now: ST939;ST907;OH-906;OL-703;HT-06;LZ-04;TB988;TB977;TB862;TB860;S550;TB717; TB719; TB715;D770;TB866;RS139;OR406;TX406;XD406;CL117;RT108;YST829;RTL829;GRT829;YS829;QT829;TG839;GM939;FT618;FT638;CR901;AF09;AF78A;AF67;AF55;WIN82;WIN68;WIN67;WIN93;RTL939;GRT939;YS836;RTL836;GRT836;ST901;RTL901;GRT901;LS397;S155;S156;S157;VT32;VT63;VT68;TF910;CR950

